ELSEVIER

Brain Research Protocols 2 (1998) 357–359

BRAIN RESEARCH

Author Index

Adams, W.B., see Luque, J.M. (2) 165
Almeida, A. and Medina, J.M.
A rapid method for the isolation of metabolically active mitochondria from rat neurons and astrocytes in primary culture (2) 209
Azbill, R.D., see Springer, J.E. (2) 259

Banasik, M., see Kako, K. (2) 243
Basile, A.S., see Drugan, R.C. (2) 69
Bausch, S.B.
A method for triple fluorescence labeling with *Vicia villosa* agglutinin, an anti-parvalbumin antibody and an anti-G-protein-coupled receptor antibody (2) 286
Bermúdez-Rattoni, F., see Miranda, M.I. (2) 215
Bertram, E.H., Williamson, J.M., Cornett, J.F., Spradlin, S. and Chen, Z.F.
Design and construction of a long-term continuous video-EEG monitoring unit for simultaneous recording of multiple small animals (2) 85
Bigl, V., see Härtig, W. (2) 35
Blijleven, N., see Wouterlood, F.G. (2) 149
Brown, H.E., Garcia, M.M. and Harlan, R.E.
A two focal plane method for digital quantification of nuclear immunoreactivity in large brain areas using NIH-image software (2) 264
Brückner, G., see Härtig, W. (2) 35
Buysse, D.J., see Nofzinger, E.A. (2) 191

Carlson, S.L., see Springer, J.E. (2) 259
Cassetta, E., see Tecchio, F. (2) 306
Cataldo, A.M., see Shiurba, R.A. (2) 109
Chen, Z.F., see Bertram, E.H. (2) 85
Clark, M.S. and Russo, A.F.
Measurement of tryptophan hydroxylase mRNA levels by competitive RT-PCR (2) 273
Corio, M., see Marcos, P. (2) 1
Cornett, J.F., see Bertram, E.H. (2) 85
Cougnon, N., see Whiteside, G. (2) 160
Coveñas, R., see Marcos, P. (2) 1
Čuljković, B., Ruždijić, S., Rakić, L. and Romac, S.
Improved polymerase chain reaction conditions for quick diagnostics of Huntington disease (2) 44

Dachille, M., see Nofzinger, E.A. (2) 191
De Silva, H.A.R., see Jen, A. (2) 23
Dewar, D., see Yam, P.S. (2) 315
Dirnagl, U., see Weih, M.K. (2) 175
Dow, K.E., see Wang, W. (2) 199
Dringen, R., Kussmaul, L. and Hamprecht, B.
Detoxification of exogenous hydrogen peroxide and organic hydroperoxides by cultured astroglial cells assessed by microtiter plate assay (2) 223
Drugan, R.C., Basile, A.S., Ha, J.-H., Healy, D. and Ferland, R.J.
Analysis of the importance of controllable versus uncontrollable stress on subsequent behavioral and physiological functioning (2) 69
Dubourg, P., see Marcos, P. (2) 1

Egert, U., Schlosshauer, B., Fennrich, S., Nisch, W., Fejtl, M., Knott, T., Müller, T. and Hämmerle, H.
A novel organotypic long-term culture of the rat hippocampus on substrate-integrated multielectrode arrays (2) 229

Fejtl, M., see Egert, U. (2) 229
Fennrich, S., see Egert, U. (2) 229
Ferland, R.J., see Drugan, R.C. (2) 69
Fischer, B., Gezeck, S. and Hartnegg, K.
The analysis of saccadic eye movements from gap and overlap paradigms (2) 47
Freyer, D., see Weih, M.K. (2) 175
Fry, J.R., see Waterfall, A.H. (2) 17
Fujii, M., see Yamauchi, T. (2) 250
Fukui, Y., see Miki, T. (2) 9

Garcia, F., see Parada, M.A. (2) 141
Garcia, M.M., see Brown, H.E. (2) 264
Gärtner, U., see Härtig, W. (2) 35
Gautreau, A. and Kerdelhué, B.
Simultaneous quantitation of substance P-encoding preprotachykinin alternatively spliced mRNAs and substance P receptor NK-1 mRNA by an RNase protection assay (2) 133
Gezeck, S., see Fischer, B. (2) 47
Gietz, R.D., see Meltzer, J.C. (2) 339
Giménez-Amaya, J.M., see Lanciego, J.L. (2) 323
Graham, D.I., see Yam, P.S. (2) 315
Greenberg, A.H., see Meltzer, J.C. (2) 339
Grimm, P.C., see Meltzer, J.C. (2) 339
Guerra, M.J., see Rozas, G. (2) 75
Guillén, J., see Lanciego, J.L. (2) 323

Ha, J.-H., see Drugan, R.C. (2) 69
Hallin, R.G. and Wu, G.
Protocol for microneurography with concentric needle electrodes (2) 120
Hamada, T., see Kako, K. (2) 243
Hämmerle, H., see Egert, U. (2) 229
Hamprecht, B., see Dringen, R. (2) 223
Harlan, R.E., see Brown, H.E. (2) 264
Härtig, W., Kirazov, L., Brückner, G., Holzer, M., Gärtner, U. and Bigl, V.
Blot analyses and immunocytochemistry of neural antigens with digoxigenylated primary and secondary antibodies (2) 35
Härtig, W., see Wouterlood, F.G. (2) 149
Hartnegg, K., see Fischer, B. (2) 47
Healy, D., see Drugan, R.C. (2) 69
Hernandez, L., see Parada, M.A. (2) 141
Hill, D.P. and Robertson, K.A.
Differentiation of LA-N-5 neuroblastoma cells into cholinergic neurons: methods for differentiation, immunohistochemistry and reporter gene introduction (2) 183
Hisano, S., see Miki, T. (2) 9
Hole, A.K., see Meltzer, J.C. (2) 339
Holzer, M., see Härtig, W. (2) 35
Hunt, S.P., see Whiteside, G. (2) 160

Imahori, K., see Shiurba, R.A. (2) 109
Ishida, N., see Kako, K. (2) 243
Ishiguro, K., see Shiurba, R.A. (2) 109
Itoh, M., see Miki, T. (2) 9

Jen, A., Wickenden, C., De Silva, H.A.R. and Patel, A.J.
Preparation and purification of antisera against different regions or isoforms of β-amyloid precursor protein (2) 23
Jimbo, K., see Noda, K. (2) 352

Kako, K., Wakamatsu, H., Hamada, T., Banasik, M., Ohata, K., Niki-Kuroiwa, T., Suzuki, S., Takeuchi, J.-i. and Ishida, N.
Examination of DNA-binding activity of neuronal transcription factors by electrophoretical mobility shift assay (2) 243
Kawashima, I. and Tai, T.
An immunocytochemical technique with monoclonal antibodies to glycosphingolipids in rat primary cerebellar cultures: influence of detergent permeabilization (2) 299
Kerdelhué, B., see Gautreau, A. (2) 133
Kirazov, L., see Härtig, W. (2) 35
Knott, T., see Egert, U. (2) 229

Kupfer, D.J., see Nofzinger, E.A. (2) 191
Kussmaul, L., see Dringen, R. (2) 223

Labandeira-García, J.L., see Rozas, G. (2) 75
Lanciego, J.L., Luquin, M.R., Guillén, J. and Giménez-Amaya, J.M.
Multiple neuroanatomical tracing in primates (2) 323
Lee, S., see Meltzer, J.C. (2) 339
Lerner, M.R., see McClintock, T.S. (2) 59
Linial, M., see Parnas, D. (2) 333
Luque, J.M., Adams, W.B. and Nicholls, J.G.
Procedures for whole-mount immunohistochemistry and in situ hybridization of immature mammalian CNS (2) 165
Luquin, M.R., see Lanciego, J.L. (2) 323

Marcos, P., Corio, M., Dubourg, P., Coveñas, R. and Tramu, G.
Double immunocytochemistry in preembedding electron microscopy for the detection of neurotensin and tyrosine hydroxylase in the guinea pig, using two primary antisera raised in the same species (2) 1
Marsden, C.A., see Waterfall, A.H. (2) 17
Matzzie, J., see Nofzinger, E.A. (2) 191
Mazzocchio, R. and Rossi, A.
A method for potentiating Renshaw cell activity in humans (2) 53
McClintock, T.S. and Lerner, M.R.
Functional analysis by imaging of melanophore pigment dispersion of chimeric receptors constructed by recombinant polymerase chain reaction (2) 59
McCulloch, J., see Yam, P.S. (2) 315
Mealing, G., see Monette, R. (2) 99
Medina, J.M., see Almeida, A. (2) 209
Meltzer, C.C., see Nofzinger, E.A. (2) 191
Meltzer, J.C., Sanders, V., Grimm, P.C., Stern, E., Rivier, C., Lee, S., Rennie, S.L., Gietz, R.D., Hole, A.K., Watson, P.H., Greenberg, A.H. and Nance, D.M.
Production of digoxigenin-labelled RNA probes and the detection of cytokine mRNA in rat spleen and brain by in situ hybridization (2) 339
Miki, T., Fukui, Y., Itoh, M., Hisano, S., Xie, Q. and Takeuchi, Y.
Estimation of the numerical densities of neurons and synapses in cerebral cortex (2) 9
Mintun, M.A., see Nofzinger, E.A. (2) 191
Miranda, M.I. and Bermúdez-Rattoni, F.
Acetylcholine determination of microdialysates of fetal neocortex grafts that induce recovery of learning (2) 215
Monette, R., Small, D.L., Mealing, G. and Morley, P.
A fluorescence confocal assay to assess neuronal viability in brain slices (2) 99
Moore, R.Y., see Nofzinger, E.A. (2) 191
Morley, P., see Monette, R. (2) 99
Müller, T., see Egert, U. (2) 229
Munglani, R., see Whiteside, G. (2) 160
Murzi, E., see Parada, M.A. (2) 141

Nance, D.M., see Meltzer, J.C. (2) 339
Nicholls, J.G., see Luque, J.M. (2) 165
Niki-Kuroiwa, T., see Kako, K. (2) 243
Nisch, W., see Egert, U. (2) 229
Nixon, R.A., see Shiurba, R.A. (2) 109
Noda, K., Jimbo, K., Suzuki, K. and Yoda, K.
Separation of a process from the neuronal cell body using a thin aluminum foil separator (2) 352
Nofzinger, E.A., Mintun, M.A., Price, J., Meltzer, C.C., Townsend, D., Buysse, D.J., Reynolds III, C.F., Dachille, M., Matzzie, J., Kupfer, D.J. and Moore, R.Y.
A method for the assessment of the functional neuroanatomy of human sleep using FDG PET (2) 191
Nomura, T., see Yamauchi, T. (2) 250

Ohata, K., see Kako, K. (2) 243

Parada, M.A., Puig de Parada, M., Hernandez, L., Murzi, E. and Garcia, F.
A practical method for simultaneous multiple intracerebral implantations for microdialysis in rats (2) 141
Parnas, D. and Linial, M.
Highly sensitive ELISA-based assay for quantifying protein levels in neuronal cultures (2) 333
Pasqualetti, P., see Tecchio, F. (2) 306
Patel, A.J., see Jen, A. (2) 23
Patterson, J., see Yam, P.S. (2) 315
Pizzella, V., see Tecchio, F. (2) 306
Price, J., see Nofzinger, E.A. (2) 191
Prokopenko, V.F., Shevko, G.N., Voloshin, M.Ya. and West, M.O.
A removable peripheral device for intracerebral microinjection in freely moving rats (2) 31
Puig de Parada, M., see Parada, M.A. (2) 141

Rakić, L., see Čuljković, B. (2) 44
Rennie, S.L., see Meltzer, J.C. (2) 339
Reynolds III, C.F., see Nofzinger, E.A. (2) 191
Rivier, C., see Meltzer, J.C. (2) 339
Robertson, K.A., see Hill, D.P. (2) 183
Romac, S., see Čuljković, B. (2) 44
Romani, G.L., see Tecchio, F. (2) 306
Rossi, A., see Mazzocchio, R. (2) 53
Rossini, P.M., see Tecchio, F. (2) 306
Rozas, G., Guerra, M.J. and Labandeira-García, J.L.
An automated rotarod method for quantitative drug-free evaluation of overall motor deficits in rat models of parkinsonism (2) 75
Russo, A.F., see Clark, M.S. (2) 273
Ruždijić, S., see Čuljković, B. (2) 44

Sanders, V., see Meltzer, J.C. (2) 339
Schlosshauer, B., see Egert, U. (2) 229
Shevko, G.N., see Prokopenko, V.F. (2) 31
Shiurba, R.A., Spooner, E.T., Ishiguro, K., Takahashi, M., Yoshida, R., Wheelock, T.R., Imahori, K., Cataldo, A.M. and Nixon, R.A.
Immunocytochemistry of formalin-fixed human brain tissues: microwave irradiation of free-floating sections (2) 109
Singh, G., see Waterfall, A.H. (2) 17
Small, D.L., see Monette, R. (2) 99
Spooner, E.T., see Shiurba, R.A. (2) 109
Spradlin, S., see Bertram, E.H. (2) 85
Springer, J.E., Azbill, R.D. and Carlson, S.L.
A rapid and sensitive assay for measuring mitochondrial metabolic activity in isolated neural tissue (2) 259
Stern, E., see Meltzer, J.C. (2) 339
Sugiura, H., see Yamauchi, T. (2) 250
Suzuki, K., see Noda, K. (2) 352
Suzuki, S., see Kako, K. (2) 243

Tai, T., see Kawashima, I. (2) 299
Takahashi, M., see Shiurba, R.A. (2) 109
Takasago, T., see Yam, P.S. (2) 315
Takeuchi, J.-i., see Kako, K. (2) 243
Takeuchi, Y., see Miki, T. (2) 9
Tecchio, F., Rossini, P.M., Pizzella, V., Cassetta, E., Pasqualetti, P. and Romani, G.L.
A neuromagnetic normative data set for hemispheric sensory hand cortical representations and their interhemispheric differences (2) 306
Townsend, D., see Nofzinger, E.A. (2) 191
Tramu, G., see Marcos, P. (2) 1

Van Denderen, J.C.M., see Wouterlood, F.G. (2) 149
Van Minnen, J., see Wouterlood, F.G. (2) 149
Voloshin, M.Ya., see Prokopenko, V.F. (2) 31

Wakamatsu, H., see Kako, K. (2) 243
Wang, W. and Dow, K.E.
Quantitative analysis of mRNA expression of neuron-specific growth-associated genes in rat primary neurons by competitive RT-PCR (2) 199
Waterfall, A.H., Singh, G., Fry, J.R. and Marsden, C.A.
The measurement of lipid peroxidation in vivo (2) 17
Watson, P.H., see Meltzer, J.C. (2) 339
Weih, M.K., Weikert, S., Freyer, D. and Dirnagl, U.
Chemiluminescence detection of nitric oxide production from rat cerebral cortical endothelial cells in culture (2) 175
Weikert, S., see Weih, M.K. (2) 175
West, M.O., see Prokopenko, V.F. (2) 31
Wheelock, T.R., see Shiurba, R.A. (2) 109
Whiteside, G., Cougnon, N., Hunt, S.P. and Munglani, R.
An improved method for detection of apoptosis in tissue sections and cell culture, using the TUNEL technique combined with Hoechst stain (2) 160
Wickenden, C., see Jen, A. (2) 23
Williamson, J.M., see Bertram, E.H. (2) 85
Wouterlood, F.G., Van Denderen, J.C.M., Blijleven, N., Van Minnen, J. and Härtig, W.

Two-laser dual-immunofluorescence confocal laser scanning microscopy using Cy2- and Cy5-conjugated secondary antibodies: unequivocal detection of co-localization of neuronal markers (2) 149
Wu, G., see Hallin, R.G. (2) 120

Xie, Q., see Miki, T. (2) 9

Yam, P.S., Patterson, J., Graham, D.I., Takasago, T., Dewar, D. and McCulloch, J. Topographical and quantitative assessment of white matter injury following a focal ischaemic lesion in the rat brain (2) 315
Yamauchi, T., Yoshimura, Y., Nomura, T., Fujii, M. and Sugiura, H. Neurite outgrowth of neuroblastoma cells overexpressing α and β isoforms of Ca^{2+}/calmodulin-dependent protein kinase II—effects of protein kinase inhibitors (2) 250
Yoda, K., see Noda, K. (2) 352
Yoshida, R., see Shiurba, R.A. (2) 109
Yoshimura, Y., see Yamauchi, T. (2) 250